

Lexmark E120n



- **Powerful desktop laser printing at up to 20 pages per minute**
- **Two-piece imaging system is clean and easy to install and replace**
- **Simple to use, reliable paper path increases ease of use**

LEXMARK[™]

Lexmark E120n



- Print quickly with a time to first page as fast as 8 seconds
- High-quality results on a wide range of media types and weights
- Place this on the desktop to provide printing nearby

Lexmark E120n


Product Specifications

| | |
|---------------------------|---|
| Part Number | US/Canada: 23S0300 |
| Product Class | Desktop laser printer |
| Speed | Up to 20 ppm |
| Resolution | 1200 image quality printing, 600 x 600 dpi |
| Time to First Page | As fast as 8 seconds |
| Processor | 183 MHz |
| Memory (std./max.) | 16MB |
| Connectivity | |
| Standard | Ethernet, USB |
| Operating Systems | Windows, Mac OS (PostScript only), Linux For a complete list, visit www.lexmark.com. |
| Printer Language | PCL 6, PostScript 3 (Mac only) |
| Fonts | PCL: 17 scalable including OCR-A, OCR-B and code 3 of 9 bar codes. 2 bitmapped. PS: 12 scalable |
| Size (WxDxH) | 15.3 in. x 14 in. x 9.8 in. (388 mm x 355 mm x 250 mm) |
| Weight | 15.2 lb. (6.9 kg) |
| Acoustics | Printing: 49 dBA; Idle: 26 dBA |
| Duty Cycle | Up to 10,000 pages per month |
| Warranty | 1-year Advanced Exchange limited warranty |

Media Specifications

| | |
|--------------------------------|---|
| Paper Capacity (sheets) | |
| Input | 165 |
| Output | 50 |
| Paper Sources | |
| Input | 2 |
| Output | 1 |
| Media Types | Paper, paper labels, transparencies, envelopes, card stock |
| Media Sizes | Letter, Legal, A4, A5, A6, JIS B5, Executive, Folio, Statement, Envelopes (7 ³ / ₄ , 9, 10, DL, C5, B5) |
| Media Weights | Plain Paper: 16 to 28 lb. (60 to 105 g/m ²); Card Stock: 36 to 43 lb. bond (135 to 163 g/m ²) |

In the Box



Lexmark E120n

- Lexmark E120n printer
- 500-page Starter Return Program Toner Cartridge¹
- Long-life Photoconductor Kit
- Setup Sheet
- Software and Documentation CD
- Power Cord


Lexmark E120n

Supplies & Accessories

Part Number

| Supplies | | Part Number |
|----------|--|-------------|
| | 2,000-page Return Program Toner Cartridge ¹ | 12015SA |
| | 2,000-page Toner Cartridge ¹ | 12035SA |
| | 25,000-page Photoconductor Kit ² | 12026XW |

Paper Handling Options



Additional Information

¹ Declared yield value in accordance with ISO/IEC 19752
² Yield based on approximately 5% coverage

Lexmark E120n

Additional Accessories

| | | |
|----------------------|--|---------|
| Connectivity | MarkNet N4000 Series External Print Servers ¹ | |
| | N4000e Ethernet 10/100BaseTX | 14T0030 |
| | MarkNet N7000 Series External Print Servers ¹ | |
| | N7000e Ethernet 10/100BaseTX | 14T0230 |
| | N7020e Ethernet 10/100BaseTX | 14T0220 |
| | Wireless | |
| | N4050e 802.11g Print Server ¹ | 14T0145 |
| Cable Options | USB 6-foot cable | 1021294 |
| Print Media | Transparencies – letter (50 sheets) | 70X7240 |

¹ Requires USB connection

Lexmark and Lexmark with diamond design are trademarks of Lexmark International, Inc., registered in the United States and/or other countries. PCL is a registered trademark of Hewlett Packard Company. The USB logo is a trademark of Universal Serial Bus Implementers Forum, Inc. All other trademarks are the property of their respective owners.
© 2006 Lexmark International, Inc. All rights reserved.

71K5020



Printed on recycled paper.

